



Cryo Exchange Vapor (Dry) Shippers

CX100

CRYO EXCHANGE VAPOR (DRY) SHIPPER

For the safe transport of biological samples in vapor phase.



FEATURES

- Advanced Concept Adsorbent enables faster charging
- Complies with IATA regulations for open cryogenic receptacles
- Rugged construction and superior vacuum performance with super insulation for maximum holding times
- Lockable lid

SPECIFICATIONS	CX100
LN ₂ Capacity (L)	3.7
Static Hold Time (Days)	18
Evap. Rate (Liters/Day)	0.2
DIMENSIONS	
Necktube (in/mm)	2.75 / 69.9
Overall Dia. (in/mm)	8.75 / 222.3
Height (in/mm)	18.5 / 472.4
WEIGHT	
Empty (lb/kg)	11.7 / 5.3
Charged Weight (lb/kg)	19 / 8.6
CAPACITY	
No. of 1.2 ml & 2.0 ml vials (5/cane)	85
No. of 1.2 ml & 2.0 ml vials (6/cane)	102
Number of .25 cc Straws (28/cane)	784
No. of .25 cc Straws, Bulk (2 levels) in Goblets	1640
Number of 1/2 straws (10/cane)	280
No. of .5 cc Straws, Bulk (2 levels) in Goblets	800
Number of Canisters	1

CXR 100

CRYO EXCHANGE VAPOR (DRY) SHIPPER

For the safe transport of biological samples in vapor phase.



FEATURES

- Advanced Concept Adsorbent enables faster charging
- Complies with IATA regulations for open cryogenic receptacles
- Rugged construction and superior vacuum performance with super insulation for maximum holding times
- Lockable lid

SPECIFICATIONS	CXR100
LN ₂ Capacity (L)	3.7
Static Hold Time (Days)	16
Evap. Rate (Liters/Day)	0.23
DIMENSIONS	
Necktube (in/mm)	3.58 / 90.9
Overall Dia. (in/mm)	9.2 / 233.7
Height (in/mm)	19.4 / 492.7
WEIGHT	
Empty (lb/kg)	11.7 / 5.3
Charged Weight (lb/kg)	18.2 / 8.3
CAPACITY	
No. of 1.2 ml & 2.0 ml vials (5/cane)	85
No. of 1.2 ml & 2.0 ml vials (6/cane)	102
Number of .25 cc Straws (28/cane)	784
No. of .25 cc Straws, Bulk (2 levels) in Goblets	1640
Number of 1/2 straws (10/cane)	280
No. of .5 cc Straws, Bulk (2 levels) in Goblets	800
Number of Canisters	1

CXR500

CRYO EXCHANGE VAPOR (DRY) SHIPPER

For the safe transport of biological samples in vapor phase.



FEATURES

- Advanced Concept Adsorbent enables faster charging
- Complies with IATA regulations for open cryogenic receptacles
- Rugged construction and superior vacuum performance with super insulation for maximum holding times
- Lockable lid

SPECIFICATIONS	CXR500
LN ₂ Capacity (L)	6.4
Static Hold Time (Days)	11
Evap. Rate (Liters/Day)	0.64
DIMENSIONS	
Necktube (in/mm)	8.5 / 216
Overall Dia. (in/mm)	15.5 / 393.7
Height (in/mm)	26.9 / 683.3
WEIGHT	
Empty (lb/kg)	30 / 13.6
Charged Weight (lb/kg)	41.5 / 18.8
CAPACITY	
No. of 1.2 ml & 2.0 ml vials (5/cane)	500
No. of 1.2 ml & 2.0 ml vials (6/cane)	500
Number of .25 cc Straws (28/cane)	1736
No. of .25 cc Straws, Bulk (2 levels) in Goblets	7160
Number of 1/2 straws (10/cane)	1240
No. of .5 cc Straws, Bulk (2 levels) in Goblets	3200
Number of Canisters	N/A

4D

CRYO EXCHANGE VAPOR (DRY) SHIPPER

For the safe transport of biological samples in vapor phase.



FEATURES

- Hydrophobic Adsorbent material is easier to clean if the vessel gets contaminated
- Complies with IATA regulations for open cryogenic receptacles
- Rugged construction and superior vacuum performance with super insulation for maximum holding times
- Lockable lid

SPECIFICATIONS	4D
LN ₂ Capacity (L)	3.7
Static Hold Time (Days)	21
Evap. Rate (Liters/Day)	0.17
DIMENSIONS	
Necktube (in/mm)	2.0 / 50.8
Overall Dia. (in/mm)	8.75/222.2
Height (in/mm)	18.5 / 470
WEIGHT	
Empty (lb/kg)	11.7 / 5.31
Charged Weight (lb/kg)	19 / 8.62
CAPACITY	
No. of 1.2 ml & 2.0 ml vials (5/cane)	40
No. of 1.2 ml & 2.0 ml vials (6/cane)	48
Number of .25 cc Straws (28/cane)	448
No. of .25 cc Straws, Bulk (2 levels) in Goblets	952
Number of 1/2 straws (10/cane)	160
No. of .5 cc Straws, Bulk (2 levels) in Goblets	460
Number of Canisters	1

Note: Evaporation rate and static holding time are nominal. Actual rate may be affected by the nature of the contents, atmospheric conditions, container history and manufacturing tolerances.

4DX

CRYO EXCHANGE VAPOR (DRY) SHIPPER

For the safe transport of biological samples in vapor phase.



FEATURES

- Hydrophobic Adsorbent material is easier to clean if the vessel gets contaminated
- Complies with IATA regulations for open cryogenic receptacles
- Rugged construction and superior vacuum performance with super insulation for maximum holding times
- Lockable lid

SPECIFICATIONS	4DX
LN ₂ Capacity (L)	3.7
Static Hold Time (Days)	19
Evap. Rate (Liters/Day)	0.19
DIMENSIONS	
Necktube (in/mm)	2.78 / 70.6
Overall Dia. (in/mm)	8.75/222.2
Height (in/mm)	18.5 / 470
WEIGHT	
Empty (lb/kg)	11.7 / 5.3
Charged Weight (lb/kg)	19 / 8.62
CAPACITY	
No. of 1.2 ml & 2.0 ml vials (5/cane)	85
No. of 1.2 ml & 2.0 ml vials (6/cane)	102
Number of .25 cc Straws (28/cane)	784
No. of .25 cc Straws, Bulk (2 levels) in Goblets	1640
Number of 1/2 straws (10/cane)	280
No. of .5 cc Straws, Bulk (2 levels) in Goblets	800
Number of Canisters	1

Note: Evaporation rate and static holding time are nominal. Actual rate may be affected by the nature of the contents, atmospheric conditions, container history and manufacturing tolerances.

10DX

CRYO EXCHANGE VAPOR (DRY) SHIPPER

For the safe transport of biological samples in vapor phase.



SPECIFICATIONS	10DX
LN ₂ Capacity (L)	10
Static Hold Time (Days)	14
Evap. Rate (Liters/Day)	0.7
DIMENSIONS	
Necktube (in/mm)	8.5 / 215.9
Overall Dia. (in/mm)	15 / 381
Height (in/mm)	23.25 / 590.5
CAPACITY	
No. of 1.2 ml & 2.0 ml vials (6/cane)	966
Blood Bags	10

Note: Evaporation rate and static holding time are nominal. Actual rate may be affected by the nature of the contents, atmospheric conditions, container history and manufacturing tolerances.

FEATURES

- Hydrophobic Adsorbent material is easier to clean if the vessel gets contaminated
- Complies with IATA regulations for open cryogenic receptacles
- Rugged construction and superior vacuum performance with super insulation for maximum holding times
- Lockable lid



855.750.8191 | sales@ICBiomedical.com
www.ICBiomedical.com
Made In USA



NEW UPRIGHT SHIPPER CASE

The new IC Biomedical Shipping Case is made of high-impact-resistant material to protect its contents from physical damage. The Case's domed top prevents stacking and its circular wide base encourages upright orientation during handling and transit.

With shipping times getting longer and package handling getting rougher, IC Biomedical has designed this Case to provide a safer, more secure enclosure for nitrogen vapor shippers.



A built in slot allows the case to be locked down for added sample security.

Model 4LSC

For IC Biomedical vapor shipper models: 4D, 4DX, CX100, CXR100

Height: 24-inches

Base Diameter: 15-inches

Empty Weight: 12 lbs

The 4LSC is compatible with most other similar-sized shippers available on the market.

Model 10LSC

Designed for the 10DX vapor shipper.

Height: 28.3-inches

Base Diameter: 24-inches

Empty Weight: 19.98 lbs



800.886.2796 | Fax 317. 297.7988
sales@ICBiomedical.com
www.ICBiomedical.com